



CATALOGUE
2018

WWW.KOVAX.EU

"A UNITED FAMILY, CONTINUOUSLY OFFERING ABRASIVE SOLUTIONS, BASED ON A REALISTIC MUTUAL AGREEMENT."

Kovax is a producer and supplier of innovative and time saving quality abrasives. Kovax Europe B.V. has its roots in Tokyo, Japan, where the headquarter of the holding company Kovax Corporation is situated. The European market is served from our head office in Almelo, the Netherlands, while the products are produced in Japan, for more than 85 years. This enormous amount of knowledge in combination with one of the most modern factories worldwide enables us to deliver products, that save time and never fail to amaze. Since its foundation in 1930, Kovax has become the undisputed number


1 abrasive brand in Asia. In Europe a yearly growth up to 20% in a complicated, conservative, and highly competitive market is just yet another proof of the unique and unrivalled Japanese quality. Thanks to years of research and development, Kovax products are not only implemented in the automotive industry, but also found their way to the wood, OEM and yacht industry.

THE KOVAX FAMILY

For Kovax Europe B.V., partners are more than just business relations. Nowadays we have partners in more than 40 countries. All of them are part of the Kovax family. This family is built up on the idea that long term success is a

group effort with clear mutual agreements and strong loyalty as our foundation. We do not simply sell the better product, we offer a complete concept to create mutual benefit in the long run.

ALWAYS ONE STEP AHEAD WITH THE
**QUICK, SAFE & CLEAN SANDING
SOLUTIONS** BY KOVAX SINCE 1930



Satisfied with our innovative products?
Get provided with the complete Kovax solution, with products that seamlessly fit together. In this way you always achieve the best result!

DISCOVER THE NEW KOVAX TOOLS



PROMA-X
DUST EXTRACTOR
PAGE 40



PRO-MATE
WORKSTATION
PAGE 50



PROMA-X
POLISHER 150
PAGE 39

ICONS

Discover by means of the icons the right Kovax solutions for each application. At a single glance you see which products are suitable for which applications.

APPLICATION

-  METAL SANDING
-  REMOVING OLD LAYERS
-  PUTTY SANDING
-  PRIMER SANDING
-  BLENDING
-  REMOVING IMPERFECTIONS
-  FINISHING
-  WATERPROOF

TIPS

-  PRODUCT TIPS
-  PRACTICAL TIPS

ADHESION

-  SUPER TACK
-  STICK-ON

The prices in our price list and catalogue are rounded off to two decimal places and in our ordering system SAP to four decimal places. Especially with large quantities this can cause small rounding errors, for which we cannot be held liable.

DOWNLOAD THE KOVAX APP



ALWAYS ALL INFORMATION AT HAND.

Look at our versatile and refreshing Kovax App for extensive product information. You find suitable solutions for all your sanding steps by searching on application or product name.

Learn how to obtain the best result with our products by watching the tutorials. This way you will always have the latest news as well as all information you need at hand.

Simple, quick and highly user-friendly, that is the Kovax App. Scan the QR code and download it now!



06

10

18

24

27

38

53

TOP PRODUCTS

MACHINE SANDING

MAXCUT	10
TRI-PRO	12
PREMIUM	14
MAXFILM	16
MAGIC DISC	17
YELLOW FILM	17

MANUAL SANDING

MAXCUT	18
PREMIUM	19
SCUFF-X	20
FOAM-X ROLLS	20
HIGHFLEX	21
SHEETS WITHOUT ADHESION	21
TRI-PRO SUPER TACK ROLLS	22
WATERPROOF	22

SUPER ASSILEX

SUPER ASSILEX DISCS	24
SUPER ASSILEX PADS	25
SUPER ASSILEX SHEETS & ACCESSORIES	26

FINISHING


TOLOCUT	27
YELLOW FILM	28
TOLEX	30
BUFLEX DRY	32
BUFLEX WET	34
ASSILEX STICK-ON & ACCESSORIES	35
POLISH	36

TOOLS & OTHER

PROMA-X TOOL LINE	38
TOOLS	42
BACK-UP PADS & INTERFACE PADS	44
ACCESSORIES	47
HANDBLOCKS	48
PRO-MATE WORKSTATION	50
SPOT ON 2.0 KIT	52

REGISTER

TOP PRODUCTS

**MAXCUT**
P60 - P180


THE NUMBER 1 SOLUTION WHEN
SANDING HARD PUTTY AND METAL.



ADVANTAGES MAXCUT

The Maxcut products have specially hardened Aluminium oxide grains, which score a 9.8 on Mohs scale of mineral hardness. Compared to the hardest mineral, which is industrial produced diamond with a score of 10, this is nearly the hardest existing mineral and thus perfectly suited for extremely hard sanding work. Thanks to its open structure clogging is topmost prevented.

203 MM	
152 MM	
125 MM	
70 x 419 MM	
115 x 225 MM	
70 x 198 MM	
70 x 127 MM	


**TRI-PRO**
P40 - P600

PRICE-PERFORMANCE WINNER FOR
THE WHOLE SANDING PROCESS,
FROM SANDING TO BARE METAL TO
SANDING PRIMER.



ADVANTAGES TRI-PRO

Tri-Pro can be used for all sanding steps, from sanding to bare metal to sanding primer. The amount of aggressiveness is reflected in the high cutting power of Tri-Pro. At the same time the uniformity of the sanding scratches prevents intensive refinishing.

**PREMIUM**
P40 - P600

PREMIUM IS USED FOR THE
COMPLETE SANDING PROCESS,
FROM SANDING TO BARE METAL TO
SANDING PRIMER.



ADVANTAGES PREMIUM

The aggressiveness of Premium products results in a high cutting power. At the same time the uniform sanding scratches prevent intensive refinishing.

**MAXFILM**
P80 - P600

MAXFILM STANDS FOR MAXIMUM
DURABILITY FOR ALL YOUR
SANDING WORK, FROM SANDING
TO BARE METAL TO SANDING
PRIMER.



ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains to drop into the backing. In combination with its double anti-clogging coating this results in a significantly longer sanding life. The printed P-value on top of the disc ensures maximum ease of use.


**SUPER ASSILEX**
K240 - K1500

THE NEW AND UNIQUE WAY OF
DRY SANDING, UNIFORMITY AND
FLEXIBILITY THAT AMAZE.



ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. Maximum control during primer and topcoat sanding allows up to 50% time saving. Super Assilex prevents potential problems in the rest of the sanding process.

**MAGIC DISC**
320

SPECIALLY DEVELOPED SANDING
DISC FOR E-COAT AND VERY HARD,
MAT CLEAR COAT SANDING.



ADVANTAGES MAGIC DISC

The Magic Disc with its film backing, the new developed diamond grain and the new generation 2.0 anti-clogging coating, has an unbelievable long sanding life on hard coatings. High aggressiveness comes together with very uniform scratches.


203 MM	
152 MM	
125 MM	
75 MM	
70 x 419 MM	
115 x 225 MM	
70 x 198 MM	
70 x 127 MM	

152 MM	
125 MM	
75 MM	

152 MM	
125 MM	
75 MM	

152 MM	
--------	--






YELLOW FILM P800 - P2000

THE NUMBER 1 SOLUTION FOR BLENDING ZONES, WITH THE GUARANTEE FOR A PERFECT, NON-VISIBLE TRANSITION FROM OLD TO NEW CLEAR COAT.



ADVANTAGES YELLOW FILM

The film backing in combination with a high ratio of anti-burning coating allows a cool sanding process. Consequently burning spots can be brought to a minimum and the risk of deep scratches is reduced significantly. Yellow Film is ideal for the removal of orange peel, for high gloss wood finish and for top coat sanding.




TOLEX K1500

TOLEX IS A POLISH TIME REDUCING CHAMPION WITH A VERY FINE SANDING SCRATCH.



ADVANTAGES TOLEX

The special combination of micro grain used for the production of Tolex and its innovative latex backing, results in a sanding scratch of less than 1 Micron. A scratch this fine, significantly reduces polishing time. Thanks to the dry sanding process the risk of sanding through the clear coat is brought to the minimum.




TOLECUT K800 - K3000

THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.



ADVANTAGES TOLECUT

Tolecut is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. This ensures process safety and sanding through the clear coat can be prevented easily. Tolecut is unique in its cutting power and thanks to its flexibility when using the tolecard it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.



BUFLEX DRY K2000 - K3000

THE FINEST ABRASIVE FOR MAXIMUM POLISH TIME REDUCTION.



ADVANTAGES BUFLEX DRY

The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed female-female velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry remains the coating structure.

152 MM			
125 MM			
75 MM			
35 MM			

152 MM		
125 MM		
75 MM		
35 MM		


70 x 114 MM	
29 x 35 MM	
34 MM	
130 x 170 MM	
70 x 114 MM	

152 MM	
125 MM	
75 MM	
130 x 170 MM	

MAXCUT


MAXCUT SUPER TACK DISCS 203 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
583-0060	P60	■●◐	50	300
583-0080	P80	■●◐	50	300
583-0120	P120	■●◐	50	300




MAXCUT SUPER TACK DISCS 125 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
553-0080	P80	■●◐	50	400
553-0120	P120	■●◐	50	400



MAXCUT SUPER TACK DISCS 152 MM - 15 HOLES


ART NO.	GRIT	APPLICATION	BOX	CARTON
569-0060	P60	■●◐	50	400
569-0080	P80	■●◐	50	400
569-0120	P120	■●◐	50	400
569-0180	P180	◐	50	600



MAXCUT SUPER TACK DISCS 125 MM - WITHOUT HOLES


ART NO.	GRIT	APPLICATION	BOX	CARTON
552-0060	P60	■●◐	50	400
552-0080	P80	■●◐	50	400
552-0120	P120	■●◐	50	400
552-0180	P180	◐	50	600

GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.



MAXCUT SUPER TACK DISCS 152 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
563-0060	P60	■●◐	50	400
563-0080	P80	■●◐	50	400
563-0120	P120	■●◐	50	400
563-0180	P180	◐	50	600



MAXCUT SUPER TACK DISCS 152 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
562-0060	P60	■●◐	50	400
562-0080	P80	■●◐	50	400
562-0120	P120	■●◐	50	400
562-0180	P180	◐	50	600

GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.




USE MAXCUT WITH LOW MACHINE SPEED FOR MAXIMUM PERFORMANCE.
IDEAL FOR SANDING OLD COATINGS, PUTTY, BARE METAL & HARDWOOD LIKE BEECH OR WALNUT.

TRI-PRO

TRI-PRO SUPER TACK DISCS

152 MM - 15 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
527-0040	P40		50	600
527-0060	P60		100	800
527-0080	P80		100	800
527-0100	P100		100	800
527-0120	P120		100	1200
527-0150	P150		100	1200
527-0180	P180		100	1200
527-0220	P220		100	1200
527-0240	P240		100	1200
527-0280	P280		100	1200
527-0320	P320		100	1200
527-0360	P360		100	1200
527-0400	P400		100	1200
527-0500	P500		100	1200
527-0600	P600		100	1200



TRI-PRO SUPER TACK DISCS

152 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
525-0060	P60		100	800
525-0080	P80		100	800
525-0100	P100		100	800
525-0120	P120		100	1200
525-0150	P150		100	1200
525-0180	P180		100	1200
525-0220	P220		100	1200
525-0240	P240		100	1200
525-0280	P280		100	1200
525-0320	P320		100	1200
525-0360	P360		100	1200
525-0400	P400		100	1200
525-0500	P500		100	1200
525-0600	P600		100	1200



USE SPY SPRAY
WHEN SANDING
PUTTY AND
PRIMER.

PAGE 47




TRI-PRO SUPER TACK DISCS

125 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
557-0060	P60		100	800
557-0080	P80		100	800
557-0100	P100		100	800
557-0120	P120		100	1200
557-0150	P150		100	1200
557-0180	P180		100	1200
557-0220	P220		100	1200
557-0240	P240		100	1200
557-0280	P280		100	1200
557-0320	P320		100	1200
557-0360	P360		100	1200
557-0400	P400		100	1200
557-0500	P500		100	1200
557-0600	P600		100	1200

USE IN COMBINATION WITH BACK-UP PAD 885-0169 AND WHEN NEEDED USE INTERFACE PAD 885-0712.




TRI-PRO SUPER TACK DISCS


125 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
514-0060	P60		100	800
514-0080	P80		100	800
514-0100	P100		100	800
514-0120	P120		100	1200
514-0150	P150		100	1200
514-0180	P180		100	1200
514-0220	P220		100	1200
514-0240	P240		100	1200
514-0280	P280		100	1200
514-0320	P320		100	1200
514-0360	P360		100	1200
514-0400	P400		100	1200
514-0500	P500		100	1200
514-0600	P600		100	1200

USE IN COMBINATION WITH BACK-UP PAD 885-0169 AND WHEN NEEDED USE INTERFACE PAD 885-0712.



TRI-PRO BACK-UP PAD 125 MM - 8 HOLES



ART NO.	THREAD SIZE	BOX
885-0169	5/16"	1


TRI-PRO INTERFACE PAD 125 MM - 8 HOLES

ART NO.	BOX
885-0712	2

PREMIUM


PREMIUM SUPER TACK DISCS 203 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
786-0180	P180		50	300
786-0240	P240		50	300
786-0320	P320		50	300



PREMIUM SUPER TACK DISCS 152 MM - 15 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
776-0040	P40		25	400
568-0060	P60		50	400
568-0080	P80		50	400
568-0120	P120		50	400
568-0150	P150		50	600
568-0180	P180		50	600
568-0220	P220		50	600
568-0240	P240		50	600
568-0280	P280		50	600
568-0320	P320		50	600
568-0360	P360		50	600
568-0400	P400		50	600
568-0500	P500		50	600
568-0600	P600		50	600



PREMIUM SUPER TACK DISCS 152 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
565-0080	P80		50	400
565-0120	P120		50	400
565-0180	P180		50	600
565-0220	P220		50	600
565-0240	P240		50	600
565-0320	P320		50	600
565-0400	P400		50	600
565-0500	P500		50	600
565-0600	P600		50	600



PREMIUM SUPER TACK DISCS 75 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
730-0060	P60		50	1800
730-0080	P80		50	1800
730-0120	P120		50	1800
730-0150	P150		50	1800
730-0180	P180		50	1800
730-0220	P220		50	1800
730-0240	P240		50	1800
730-0280	P280		50	1800
730-0320	P320		50	1800
730-0400	P400		50	1800
730-0500	P500		50	1800
730-0600	P600		50	1800



PREMIUM SUPER TACK DISCS 152 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
566-0060	P60		50	400
566-0080	P80		50	400
566-0120	P120		50	400
566-0150	P150		50	600
566-0180	P180		50	600
566-0220	P220		50	600
566-0240	P240		50	600
566-0280	P280		50	600
566-0320	P320		50	600
566-0360	P360		50	600
566-0400	P400		50	600
566-0500	P500		50	600
566-0600	P600		50	600




MAXFILM

MAXFILM SUPER TACK DISCS

152 MM - 15 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
523-0080	P80		50	600
523-0120	P120		50	600
523-0150	P150		50	600
523-0180	P180		50	600
523-0220	P220		50	600
523-0240	P240		50	600
523-0280	P280		50	600
523-0320	P320		50	600
523-0360	P360		50	600
523-0400	P400		50	600
523-0500	P500		50	600
523-0600	P600		50	600



MAXFILM SUPER TACK DISCS

152 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
521-0120	P120		50	600
521-0150	P150		50	600
521-0180	P180		50	600
521-0220	P220		50	600
521-0240	P240		50	600
521-0280	P280		50	600
521-0320	P320		50	600
521-0360	P360		50	600
521-0400	P400		50	600
521-0500	P500		50	600
521-0600	P600		50	600



MAXFILM SUPER TACK DISCS

125 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
513-0120	P120		50	600
513-0150	P150		50	600
513-0180	P180		50	600
513-0220	P220		50	600
513-0240	P240		50	600
513-0320	P320		50	600
513-0400	P400		50	600
513-0500	P500		50	600
513-0600	P600		50	600




MAGIC DISC

MAGIC DISC SUPER TACK DISCS

152 MM - 15 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
528-0320	320		10	200

USE IN COMBINATION WITH THE HARD SUPER ASSILEX INTERFACE PAD (971-0057) (PAGE 25) FOR EASIER USE ON CONVEX AND CONCAVE PARTS.




MACHINE SANDING

YELLOW FILM

YELLOW FILM SUPER TACK DISCS

152 MM - 15 HOLES


ART NO.	GRIT	APPLICATION	BOX	CARTON
524-0800	P800		50	600
524-1000	P1000		50	600
524-1200	P1200		50	600
524-1500	P1500		50	600
524-2000	P2000		50	600



YELLOW FILM SUPER TACK DISCS

152 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
779-0800	P800		50	600
779-1000	P1000		50	600
779-1200	P1200		50	600



YELLOW FILM SUPER TACK DISCS

152 MM - WITHOUT HOLES


ART NO.	GRIT	APPLICATION	BOX	CARTON
778-0800	P800		50	600
778-1000	P1000		50	600
778-1200	P1200		50	600



YELLOW FILM SUPER TACK DISCS

125 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
555-0800	P800		50	600
555-1000	P1000		50	600
555-1200	P1200		50	600




FOR MAXIMUM SANDING LIFE USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.

MAXCUT

MAXCUT SUPER TACK SHEETS 115 X 225 MM - 10 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
516-0060	P60		50	500
516-0080	P80		50	500
516-0120	P120		50	500
516-0180	P180		50	500



PREMIUM


PREMIUM SUPER TACK SHEETS 115 X 225 MM - 10 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
716-0080	P80		50	500
716-0120	P120		50	500
716-0180	P180		50	1000
716-0240	P240		50	1000
716-0320	P320		50	1000
716-0400	P400		50	1000



MAXCUT SUPER TACK SHEETS 70 X 419 MM - 14 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
799-0060	P60		50	800
799-0080	P80		50	800
799-0120	P120		50	800
799-0180	P180		50	800




PREMIUM SUPER TACK SHEETS 70 X 419 MM - 14 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
748-0080	P80		50	800
748-0120	P120		50	800
748-0180	P180		50	800
748-0240	P240		50	800
748-0320	P320		50	800
748-0400	P400		50	800



MAXCUT SUPER TACK SHEETS 70 X 198 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
547-0060	P60		50	1200
547-0080	P80		50	1200
547-0120	P120		50	1200
547-0180	P180		50	1200



SUITABLE FOR SHEET SANDER KO-8751 (910-8751D) (PAGE 42).

PREMIUM SUPER TACK SHEETS 70 X 198 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
747-0080	P80		50	1600
747-0120	P120		50	1600
747-0180	P180		50	1600
747-0240	P240		50	1600
747-0320	P320		50	1600
747-0400	P400		50	1600



SUITABLE FOR SHEET SANDER KO-8751 (910-8751D) (PAGE 42).

MAXCUT SUPER TACK SHEETS 70 X 127 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
546-0080	P80		50	1800
546-0120	P120		50	1800
546-0180	P180		50	1800



PREMIUM SUPER TACK SHEETS 70 X 127 MM - 8 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
746-0240	P240		50	2400
746-0320	P320		50	2400



SAND CROSSWISE TO AVOID DEEP SANDING SCRATCHES.
LOOK ON PAGE 48 FOR ALL OUR HANDBLOCKS.

SCUFF-X HAND PADS 115 X 230 MM

ART NO.	GRIT	APPLICATION	BOX
900-7946	Very Fine	Red	25
900-7948	Ultra Fine	Grey	25

💡 USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING. ⚡ SCUFFING ALTERNATIVE FOR SUPER ASSILEX. ⭐ ECONOMIC CHOICE

SCUFF-X ROLLS 115 MM X 10 M

ART NO.	GRIT	APPLICATION	BOX
900-7945	Very Fine	Red	1
900-7947	Ultra Fine	Grey	1

💡 USE MATTING PASTE FINE (852-0260) FOR FASTER AND EASIER SCUFFING. ⚡ SCUFFING ALTERNATIVE FOR SUPER ASSILEX. ⭐ ECONOMIC CHOICE

MATTING PASTE FINE - WATERBASE 1 L

ART NO.	BOX
852-0260	1

THE COMBINATION OF MATTING PASTE AND SCUFF-X OFFERS A MORE UNIFORM SANDING RESULT AND ENABLES A SIGNIFICANT REDUCTION OF COUNTER-PRESSURE DURING SANDING.

FOAM-X ROLLS 115 MM X 25 M

ART NO.	GRIT	APPLICATION	BOX
KFX-0180	P180	● ⚡	1
KFX-0240	P240	⚡	1
KFX-0320	P320	⚡ ⚡	1
KFX-0400	P400	⚡	1
KFX-0500	P500	⚡ ⚡	1
KFX-0600	P600	⚡ ⚡ ●	1
KFX-0800	P800	⚡ ⚡ ●	1

💡 SANDING ALTERNATIVE FOR SUPER ASSILEX. ⭐ ECONOMIC CHOICE



HIGHFLEX SOFTPADS 115 X 140 X 6 MM

ART NO.	GRIT	APPLICATION	BOX
HFX-MEDIUM-20	Medium	● ⚡	20
HFX-FINE-20	Fine	● ⚡	20
HFX-SUPERFINE-20	Super Fine	⚡	20
HFX-ULTRAFINE-20	Ultra Fine	⚡ ⚡	20
HFX-MICROFINE-20	Micro Fine	⚡ ⚡	20

💡 GOOD SANDING ALTERNATIVE FOR SUPER ASSILEX. ⭐ ECONOMIC CHOICE



20x



HIGHFLEX SOFTPADS 115 X 140 X 6 MM

ART NO.	GRIT	APPLICATION	BOX
HFX-MEDIUM	Medium	● ⚡	100
HFX-FINE	Fine	● ⚡	100
HFX-SUPERFINE	Super Fine	⚡	100
HFX-ULTRAFINE	Ultra Fine	⚡ ⚡	100
HFX-MICROFINE	Micro Fine	⚡ ⚡	100

💡 GOOD SANDING ALTERNATIVE FOR SUPER ASSILEX. ⭐ ECONOMIC CHOICE




100x



SHEETS - WITHOUT ADHESION 115 X 280 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON
220-0040	P40	● ⚡	100	800
221-0060	P60	● ⚡	100	800
221-0080	P80	● ⚡	100	1000
221-0100	P100	● ⚡	100	1000
221-0120	P120	● ⚡	100	1000
224-0150	P150	● ⚡	100	2000
224-0180	P180	● ⚡	100	2000
224-0220	P220	⚡	100	2000
224-0240	P240	⚡ ⚡	100	2000
224-0280	P280	⚡	100	2000
224-0320	P320	⚡ ⚡	100	2000
224-0360	P360	⚡	100	2000
224-0400	P400	⚡ ⚡	100	2000



NEW

**TRI-PRO SUPER TACK ROLL
115 MM X 25 M**

ART NO.	GRIT	APPLICATION	BOX	CARTON
872-0040	P40		1	4
872-0060	P60		1	8
872-0080	P80		1	8
872-0120	P120		1	8
872-0150	P150		1	12
872-0180	P180		1	12
872-0240	P240		1	12
872-0320	P320		1	12
872-0400	P400		1	12

MAINLY USED IN MARINE INDUSTRY.



**WATERPROOF BLACK - SILICON CARBIDE
230 X 280 MM**

ART NO.	GRIT	APPLICATION	BOX	CARTON
101-0060	P60		50	500
101-0080	P80		50	500
101-0100	P100		50	500
101-0120	P120		50	500
102-0150	P150		50	1000
102-0180	P180		50	1000
102-0220	P220		50	1000
102-0240	P240		50	1000
102-0280	P280		50	1000
102-0320	P320		50	1000
102-0360	P360		50	1000
102-0400	P400		50	1000
102-0500	P500		50	1000
102-0600	P600		50	1000
102-0800	P800		50	1000
102-1000	P1000		50	1000
102-1200	P1200		50	1000
102-1500	P1500		50	1000
102-2000	P2000		50	1000

CAN BE USED WITH THE CANDYBLOCK (971-0001).



**WATERPROOF BROWN - ALUMINIUM OXIDE
230 X 280 MM**

ART NO.	GRIT	APPLICATION	BOX	CARTON
105-0180	P180		50	1000
105-0220	P220		50	1000
105-0240	P240		50	1000
105-0280	P280		50	1000
105-0320	P320		50	1000
105-0400	P400		50	1000
105-0600	P600		50	1000
105-0800	P800		50	1000
105-1000	P1000		50	1000
105-1200	P1200		50	1000

CAN BE USED WITH THE CANDYBLOCK (971-0001).



**CANDYBLOCK
140 X 70 MM & 45 X 70 MM**

ART NO.	SET
971-0001	1




SUPER ASSILEX DISCS

SUPER ASSILEX SUPER TACK DISCS

152 MM - 15 HOLES

ART NO.		GRIT	APPLICATION	BOX	CARTON
193-2537		K240*		25	1000
193-2535		K320*		25	1000
193-1575		K360*		25	1000
193-2533		K400*		25	1000
193-1578	Sky	K600*		25	1000
193-1579	Lemon	K800*		25	1000
193-1580	Orange	K1200*		25	1000
193-2525	Peach	K1500		25	1000



* FOR ECONOMIC ALTERNATIVES FOR SCUFFING & SANDING GO TO PAGE 20-21.




SUPER ASSILEX SUPER TACK DISCS 152 MM - 7 HOLES

ART NO.		GRIT	APPLICATION	BOX	CARTON
193-1538	Sky	K600*		25	1000
193-1539	Lemon	K800*		25	1000
193-1540	Orange	K1200*		25	1000

 USE INTERFACE PAD 971-0049 (HARD) TO FLAT THE SURFACE AND INCREASE AGGRESSIVENESS AND INTERFACE PAD 971-0039 (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.


 EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS.



SUPER ASSILEX SUPER TACK DISCS 125 MM - 7 HOLES

ART NO.		GRIT	APPLICATION	BOX	CARTON
195-1538	Sky	K600*		25	1000
195-1539	Lemon	K800*		25	1000
195-1540	Orange	K1200*		25	1000

 EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE IN COMBINATION WITH BACK-UP PAD 972-0003 (PAGE 45) AND INTERFACE PAD 971-0044 (PAGE 46).




SUPER ASSILEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

ART NO.		GRIT	APPLICATION	BOX	CARTON
730-2510	Sky	K600*		50	1800
730-2508	Lemon	K800*		50	1800
730-2507	Orange	K1200*		50	1800

INCLUDING INTERFACE PAD 971-7503 (PAGE 46).

 ALSO IDEAL FOR SANDING SOLID MINERAL SURFACES (K320, K360, K400, K600) AND SANDING OLD COATINGS IN THE WOOD BRANCH (K240, K320).



SUPER ASSILEX PADS

SUPER ASSILEX BACK-UP PAD - HARD

150 MM - 15 HOLES

ART NO.	THREAD SIZE	BOX
885-0163	5/16"	1



SUPER ASSILEX SUPER TACK INTERFACE PAD - HARD

150 MM - 15 HOLES





SUPER ASSILEX SUPER TACK INTERFACE PAD - HARD

150 MM - 7 HOLES



SUPER ASSILEX SUPER TACK INTERFACE PAD - SOFT

150 MM - 15 HOLES



10 MM

ART NO.	BOX
971-0091	MICRO VELCRO

 USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

ART NO.	BOX
971-0039	MICRO VELCRO

 USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.


 USE MICRO VELCRO INTERFACE PADS FOR SUPER ASSILEX DISCS TO AVOID SANDING SCRATCHES CAUSED BY WRONG VELCRO.

SUPER ASSILEX SHEETS & ACCESSORIES

SUPER ASSILEX SUPER TACK SHEETS

130 X 170 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON	
191-2517	K240*		25	500	
191-2515	K320*		25	500	
191-1515	K360*		25	500	
191-2513	K400*		25	500	
191-1508	Sky	K600*		25	500
191-1509	Lemon	K800*		25	500
191-1510	Orange	K1200*		25	500
191-2505	Peach	K1500		25	500



WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.

*SEE PAGE 24 FOR PRODUCT TIP.

SUPER ASSILEX SUPER TACK HANDPADS

ART NO.	BOX		
971-0026	HAND PAD L	97 x 150 MM	2
971-0025	HAND PAD M	75 x 120 MM	4
971-0094	HAND PAD M - Hard	75 x 120 MM	4

USE SUPER ASSILEX SUPER TACK HAND PAD M - HARD (971-0094) ONLY IN COMBINATION WITH SUPER ASSILEX K240 SHEETS 130 X 85 MM.

HAND PAD L & M (971-0026, 971-0025) HAVE TWO CORNERS WITHOUT VELCRO, SO THE SHEET CAN EASILY BE PEELED OFF WITHOUT DAMAGING THE PAD.


SUPER ASSILEX INTERFACE PAD

75 X 120 MM

ART NO.	BOX
971-0035	4

USE IN COMBINATION WITH ASSILEX/BUFLEX DRY SANDER KO-202 (910-0202) (PAGE 43).

SUPER ASSILEX HANDBLOCK & INTERFACE PAD - **LARGE** **120 X 160 MM**



ART NO.	FOR SHEET	BOX	
885-2140	HANDBLOCK	130 x 170 MM	1
885-2191	INTERFACE PAD	130 x 170 MM	1

COMBINE THE SUPER ASSILEX HANDBLOCKS AND INTERFACE PADS (EXTRA HARD) TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS. USAGE WITHOUT INTERFACE PAD MAKES THE HANDBLOCK MORE FLEXIBLE.

TOLECUT

TOLECUT STICK-ON SHEETS **70 X 114 MM**

ART NO.	GRIT	APPLICATION	BOX	CARTON	
191-1517	K800		25	1000	
191-1516	K1200		25	1000	
191-1513	Pink	K1500		25	1000
191-1512	Green	K2000		25	1000
191-1511	Black	K3000		25	1000

K800 & K1200 IDEAL FOR REMOVING RUNNERS AND FLATTENING BIGGER SURFACES.

USE IN COMBINATION WITH TOLECARD (971-0048) OR TOLECUT HAND PAD (858-1550).



TOLECARD **66 X 110 MM**

ART NO.	BOX
971-0048	10

MAXIMUM FLEXIBILITY FOR CURVES AND EDGES.



TOLECUT HAND PAD **110 X 65 X 46 MM**

ART NO.	BOX
858-1550	1

USE THE BLUE SIDE (SOFT) FOR MORE FLEXIBILITY AND THE WHITE SIDE (HARD) FOR MORE AGGRESSIVENESS.



TOLECUT STICK-ON SHEETS - 1/8 **29 X 35 MM**

ART NO.	GRIT	APPLICATION	BOX	CARTON	
191-1527	K800		200	8000	
191-1526	K1200		200	8000	
191-1523	Pink	K1500		200	8000
191-1522	Green	K2000		200	8000
191-1521	Black	K3000		200	8000

USE K800 & K1200 TO REMOVE BIGGER IMPERFECTIONS.

USE IN COMBINATION WITH TOLEBLOCK (971-0047).



TOLEBLOCK **26 X 32 MM**


ART NO.	BOX
971-0047	10



TOLECUT STICK-ON DISCS **34 MM**

ART NO.	GRIT	APPLICATION	BOX	
192-1513	Pink	K1500		600
192-1512	Green	K2000		600
192-1511	Black	K3000		600

RECOMMENDED FOR THE INDUSTRY. MACHINE USAGE: USE IN COMBINATION WITH STICK-ON INTERFACE TRANSFER PAD (910-3501-36) (PAGE 29). MANUAL USAGE: USE IN COMBINATION WITH DOUBLE FINGER PAD (971-0023) (PAGE 29).




YELLOW FILM

YELLOW FILM SUPER TACK DISCS

152 MM - 15 HOLES


ART NO.	GRIT	APPLICATION	BOX	CARTON
524-0800	P800	●	50	600
524-1000	P1000	●	50	600
524-1200	P1200	●	50	600
524-1500	P1500	●	50	600
524-2000	P2000	●	50	600



YELLOW FILM SUPER TACK DISCS

152 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
779-0800	P800	●	50	600
779-1000	P1000	●	50	600
779-1200	P1200	●	50	600
779-1500	P1500	●	50	600



YELLOW FILM SUPER TACK DISCS

152 MM - WITHOUT HOLES


ART NO.	GRIT	APPLICATION	BOX	CARTON
778-0800	P800	●	50	600
778-1000	P1000	●	50	600
778-1200	P1200	●	50	600
778-1500	P1500	●	50	600



YELLOW FILM SUPER TACK DISCS

125 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
555-0800	P800	●	50	600
555-1000	P1000	●	50	600
555-1200	P1200	●	50	600
555-1500	P1500	●	50	600



YELLOW FILM SUPER TACK DISCS

75 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
730-0800	P800	●	50	1800
730-1500	P1500	●	50	1800
730-2000	P2000	●	50	1800

INCLUDING INTERFACE PAD 971-7502 (PAGE 46).



YELLOW FILM STICK-ON DISCS

35 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
881-1500	P1500	●	100	2000
881-2000	P2000	●	100	2000

USE IN COMBINATION WITH INTERFACE TRANSFER PAD 910-3501-36 OR DOUBLE FINGER PAD (971-0023) FOR MANUAL USE.



DOUBLE FINGER PAD 31 MM

ART NO.	BOX
971-0023	5

USE IN COMBINATION WITH YELLOW FILM STICK-ON (881-1500, 881-2000) AND TOLECUT STICK-ON (192-1513, -1512, -1511) (PAGE 27).



STICK-ON INTERFACE TRANSFER PAD 31 MM

ART NO.	BOX
910-3501-36	1

FOR TOUCH-UP SANDER (910-3501) (PAGE 42). THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON. SUITABLE FOR YELLOW FILM STICK-ON (881-1500, 881-2000) AND TOLECUT STICK-ON (192-1513, -1512, -1511) (PAGE 27).




FOR MAXIMUM SANDING LIFE, USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.

TOLEX

TOLEX SUPER TACK DISCS 152 MM - 15 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
193-1563	K1500	↳	25	1000

 USE IN COMBINATION WITH MICRO VELCRO TOLEX INTERFACE PAD (971-0027).



TOLEX SUPER TACK INTERFACE PAD 150 MM - 15 HOLES


ART NO.	BOX
971-0027	MICRO VELCRO



TOLEX SUPER TACK DISCS 125 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
195-1593	K1500	↳	25	1000

 USE IN COMBINATION WITH MICRO VELCRO INTERFACE PAD 971-0044 (PAGE 46).



TOLEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
730-1502	K1500	↳	50	1800


INCLUDING INTERFACE PAD 971-7503 (PAGE 46).



TOLEX SUPER TACK SHEETS 130 X 170 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON
191-1533	K1500	↳	25	500

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE WITH SUPER ASSILEX HAND PAD M (971-0025) OR SUPER ASSILEX HAND PAD L (971-0026) (PAGE 26). FOR AN EVEN FINER RESULT USE THE BUFLEX DRY HAND PAD (971-0060) (MANUAL USE) OR INTERFACE PAD (971-0061) (MACHINE USE) (PAGE 33).



 UTILIZE TOLEX K1500 IN BETWEEN THE YELLOW FILM AND THE BUFLEX DRY TO ACHIEVE MAXIMUM TIME SAVING DURING THE POLISHING PROCESS.

TOLEX STICK-ON

TOLEX STICK-ON DISCS 152 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
192-1503	K1500	↳	25	1500

 FOR MORE AGGRESSIVENESS USE INTERFACE PAD HARD (971-0017). FOR MORE UNIFORMITY USE INTERFACE PAD SOFT (971-0014).



TOLEX STICK-ON INTERFACE PAD - HARD 150 MM - WITHOUT HOLES

ART NO.	BOX
971-0017	2



TOLEX / BUFLEX WET STICK-ON INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES

ART NO.	BOX
971-0014	2



TOLEX STICK-ON SHEETS 70 X 114 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON
191-1503	K1500	↳	25	750

 USE IN COMBINATION WITH TOLEX STICK-ON HAND PAD (971-0016).



TOLEX STICK-ON HAND PAD 62 X 111 MM

ART NO.	BOX
971-0016	2




BUFLEX DRY

BUFLEX DRY SUPER TACK DISCS

152 MM - 15 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
193-1565	Green	K2000	25	1000
193-1564	Black	K3000	25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD 971-0065.



BUFLEX DRY SUPER TACK DISCS

75 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
730-1513	Green	K2000	50	1800
730-1514	Black	K3000	50	1800

 ONLY USE IN COMBINATION WITH INTERFACE PAD 971-0068.



BUFLEX DRY SUPER TACK INTERFACE PAD

150 MM - 15 HOLES

ART NO.	BOX
971-0065	FEMALE - FEMALE VELCRO 2



BUFLEX DRY SUPER TACK INTERFACE PAD

75 MM - WITHOUT HOLES

ART NO.	BOX
971-0068	FEMALE - FEMALE VELCRO 4




BUFLEX DRY SUPER TACK DISCS

125 MM - 7 HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
195-1535	Green	K2000	25	1000
195-1534	Black	K3000	25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD 971-0067.




BUFLEX DRY SUPER TACK SHEETS

130 x 170 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON
191-1532	Green	K2000	25	500
191-1531	Black	K3000	25	500


 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE IN COMBINATION WITH HAND PAD 971-0060 FOR MANUAL USE AND WITH INTERFACE PAD 971-0061 FOR MACHINE USE.



BUFLEX DRY SUPER TACK INTERFACE PAD

125 MM - 7 HOLES

ART NO.	BOX
971-0067	FEMALE - FEMALE VELCRO 2



BUFLEX DRY SUPER TACK HAND PAD & INTERFACE PAD

78 x 123 MM

ART NO.	BOX
971-0060	FEMALE - FEMALE VELCRO 2

FOR MANUAL USE.



ART NO.	BOX
971-0061	FEMALE - FEMALE VELCRO 2

FOR MACHINE USE.



UTILIZE BUFLEX DRY EXCLUSIVELY IN COMBINATION WITH THE MATCHING, INNOVATIVE FEMALE-FEMALE VELCRO INTERFACE PADS FOR A PERFECT SANDING RESULT. THIS AVOIDS SANDING SCRATCHES CAUSED BY WRONG VELCRO AND LEAVES LESS SCRATCHES WHICH RESULTS IN SHORTER POLISHING TIME.


BUFLEX WET STICK-ON

BUFLEX WET STICK-ON DISCS

152 MM - WITHOUT HOLES

ART NO.	GRIT	APPLICATION	BOX	CARTON
192-1502	Green	K2000	25	1500
192-1501	Black	K3000	25	1500

 USE IN COMBINATION WITH TOLEX/BUFLEX WET INTERFACE PAD (971-0014).



TOLEX / BUFLEX WET INTERFACE PAD - SOFT

150 MM - WITHOUT HOLES

ART NO.	BOX
971-0014	2



BUFLEX WET STICK-ON SHEETS

70 X 114 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON
191-1502	Green	K2000	25	750
191-1501	Black	K3000	25	750

 USE IN COMBINATION WITH BUFLEX STICK-ON PAD NH (HARD) 971-0013 OR PAD NS (SOFT) 971-0012.



BUFLEX WET STICK-ON HAND PAD NH - HARD

110 X 70 X 50 MM

ART NO.	BOX
971-0013	2



BUFLEX WET STICK-ON HANDPAD NS - SOFT

110 X 70 X 50 MM

ART NO.	BOX
971-0012	2



ASSILEX STICK-ON & ACCESSORIES

ASSILEX STICK-ON SHEETS

85 X 130 MM

ART NO.	GRIT	APPLICATION	BOX	CARTON
191-1505	Lemon	K800	50	1000
191-1504	Peach	K1500	50	1000



ASSILEX STICK-ON HAND PAD AU - HARD

83 X 130 MM

ART NO.	BOX
971-0020	2



ASSILEX STICK-ON HAND PAD AH - SOFT

83 X 130 MM

ART NO.	BOX
971-0021	2



ASSILEX STICK-ON HAND PAD AS - SOFT

83 X 130 MM

ART NO.	BOX
971-0022	6



POLISH

K2IN1 - RUBBING POLISH COMPOUND 1L

ART NO.	BOX	CARTON
852-1898	1	6

 USE IN COMBINATION WITH THE YELLOW HEXAGON PAD 858-6751 OR 858-6752. FOR MORE AGGRESSIVENESS USE THE WOOL COMPOUNDING PADS 858-6798 & 858-6797.



 ONE SOLUTION FOR ALL MODERN PAINT SYSTEMS. HIGH CUTTING POWER AND LONG LASTING GLOSSY FINISH.

K2 - POLISH COMPOUND 1L

ART NO.	BOX	CARTON
852-1847	1	6

 USE IN COMBINATION WITH THE BLACK HEXAGON FOAM PAD 858-6754 OR 858-6755.

 PERFECT FOR DARK PAINT COLOURS WITH A SWIRL & HOLOGRAM FREE, HIGH GLOSS FINISH.



RUBBING COMPOUND - ULTRA FINE 1L

ART NO.	BOX	CARTON
852-1870	1	6

 APPLY WITH FOAM PAD M00-4045 OR THE YELLOW HEXAGON FOAM PADS 858-6751 & 858-6752.



EAGLE PLEX - WATERBASE 1L

ART NO.	BOX	CARTON
852-4050	1	6

SPECIALLY MADE TO REMOVE SCRATCHES IN PLEXIGLAS AND POLYCARBONATE.



RUBBING COMPOUND - ULTRA MORDENTE 4L

ART NO.	BOX
852-4009	1

VERY AGGRESSIVE. IDEAL FOR THE MARINE INDUSTRY.



POLISH PADS

YELLOW HEXAGON FOAM PAD - HARD 190 MM & 100 MM

ART NO.	BOX
858-6751	190 MM
858-6752	100 MM

 190 MM SUITABLE FOR BACK-UP PAD 150 MM (858-0120) (PAGE 44).
100 MM SUITABLE FOR BACK-UP PAD 72 MM (M00-4043) (PAGE 45).
LESS HEAT DEVELOPMENT THANKS TO THE HEXAGON STRUCTURE.



BLACK HEXAGON FOAM PAD - SOFT 190 MM & 100 MM

ART NO.	BOX
858-6754	190 MM
858-6755	100 MM

 190 MM SUITABLE FOR BACK-UP PAD 150 MM (858-0120) (PAGE 44).
100 MM SUITABLE FOR BACK-UP PAD 72 MM (M00-4043) (PAGE 45).
LESS HEAT DEVELOPMENT THANKS TO THE HEXAGON STRUCTURE.



WOOL COMPOUNDING PADS 150 MM & 80 MM

ART NO.	BOX
858-6798	150 MM
858-6797	80 MM

 100% NATURAL LAMBS WOOL. USE THE WOOL COMPOUNDING PADS WHEN MORE AGGRESSIVENESS IS REQUIRED. ONLY USE IN COMBINATION WITH K2IN1.



WOOL COMPOUNDING PADS & FOAM PAD - HARD & SOFT 80 MM


ART NO.	BOX	CARTON
M00-4047	Wool - Hard	1 20
M00-4048	Wool - Soft	1 10
M00-4045	Foam - Soft	1 10



PROMA-X



ELECTRIC 150
ELECTRIC RANDOM ORBITAL SANDER - 150MM



AIR 150
PNEUMATIC RANDOM ORBITAL SANDER - 150MM



POLISHER 150
ELECTRIC POLISHER - 150MM



DUST EXTRACTOR
INDUSTRIAL ELECTRO-PNEUMATIC
DUST EXTRACTOR L & M-CLASS

PROMA-X AIR 150
PNEUMATIC RANDOM ORBITAL SANDER - 150 MM

ART NO.	BOX
910-0600	1

MAX. ROTATION: 12.000 RPM. AIRCONSUMPTION: 480 L/MIN. WEIGHT: 0,95 KG.
AIRPRESSURE: 4-6 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **885-0159**.

PROMA-X AIR 150 BACK-UP PAD
150 MM - 15 HOLES

ART NO.	THREAD SIZE	BOX
885-0159	5/16"	1



PROMA-X ELECTRIC 150
ELECTRIC RANDOM ORBITAL SANDER - 150 MM

ART NO.	BOX
910-0500	1

ROTATIONS: 4.000 - 10.000 RPM, 7 SPEEDS. VOLTAGE: 220 - 240 V. POWER: 350 W.
ORBIT: 5 MM. WEIGHT: 1,41 KG. INCLUDING BACK-UP PAD **889-5467**.



PROMA-X ELECTRIC 150 BACK-UP PAD
150 MM

ART NO.	THREAD SIZE	BOX
889-5467	5/16"	1



PROMA-X POLISHER 150
ELECTRIC POLISHER - 150 MM

ART NO.	BOX
910-0700	1

ROTATIONS: 750 - 1.850 RPM, 6 SPEEDS. VOLTAGE: 230 V. POWER: 1100 W.
WEIGHT: 2,2 KG. USE IN COMBINATION WITH BACK-UP PAD **858-0120** (PAGE 44).



PROMA-X DUST EXTRACTOR

KEEP YOUR WORKPLACE CLEAN WITH THE NEW PROMA-X DUST EXTRACTORS. CHOOSE THE COMBINATION THAT BEST FITS TO YOUR NEEDS, THANKS TO THE TWO OPTIONAL UPGRADES.

- EXTREMELY QUIET
- SELF-CLEANING FILTER
- SUITED FOR LIQUID ABSORPTION
- LARGE DUST CAPACITY (45L)

**FOR A CLEAN &
HEALTHY WORK
ENVIRONMENT.**



PROMA-X DUST EXTRACTOR L-CLASS

ART NO.	SET	ART NO.	SET
910-0820	L-CLASS DUST EXTRACTOR	910-0830	1
910-0840	ANTISTATIC DUST HOSE - 5 M		1

THE L-CLASS CAN VACUUM DUST OF **1 MG/M³**. THE PROMA-X DUST EXTRACTOR SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE (910-0840).

UPGRADE TO M-CLASS DUST EXTRACTOR

- + EVEN LESS DUST EXPOSURE
- + EXTRA SAFETY INDICATOR PREVENTS OVERLOADED DUST BAG



PROMA-X DUST EXTRACTOR - UPGRADE M-CLASS

ART NO.	BOX
910-0810	1

THE M-CLASS CAN VACUUM DUST OF **0,1 MG/M³**. THE PROMA-X DUST EXTRACTOR SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE (910-0840).

UPGRADE TO PNEUMATIC DUST HOSE

- + HOSE-IN-HOSE SYSTEM
- + ENABLES PNEUMATIC SANDING



PROMA-X DUST EXTRACTOR - UPGRADE PNEUMATIC ANTISTATIC DUST HOSE - 5 M

ART NO.	BOX
910-0830	1

THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.

PROMA-X DUST EXTRACTOR PNEUMATIC ANTISTATIC DUST HOSE - 5 M

ART NO.	BOX
910-0830	1

THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



PROMA-X DUST EXTRACTOR ANTISTATIC DUST HOSE - 5 M

ART NO.	BOX
910-0840	1



PROMA-X DUST EXTRACTOR DUST BAG SET OF 5 PIECES

ART NO.	BOX
910-0815	5

THE DUST BAGS HAVE A CAPACITY OF 5 KG.



TOOLS

ORBITAL SANDER 125 MM

ART NO.	BOX	CARTON
910-0104D	1	6


MAX. ROTATION: 8.500 RPM. AIRCONSUMPTION: 340 L/MIN. WEIGHT: 0,75 KG.
AIRPRESSURE: 4-6 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **972-0015** (PAGE 45).



ASSILEX / BUFLEX DRY SANDER KO-202 70 X 115 MM

ART NO.	BOX	CARTON
910-0202	1	6

MAX. ROTATION: 8.500 RPM. AIRCONSUMPTION: 340 L/MIN. WEIGHT: 0,74 KG.
AIRPRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-0202-36** AND
SUPER ASSILEX INTERFACE PAD **971-0035** (PAGE 26).



MINI ORBITAL SANDER KD-501 72 MM

ART NO.	BOX	CARTON
910-7501	1	20

MAX. ROTATION: 13.000 RPM. AIRCONSUMPTION: 275 L/MIN. WEIGHT: 0,62 KG.
AIRPRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **M750-148** (PAGE 45).



TOUCH-UP SANDER 31 MM

ART NO.	BOX	CARTON
910-3501	1	20

MAX. ROTATION: 8.500 RPM. AIRCONSUMPTION: 140 L/MIN. WEIGHT: 0,475 KG.
AIRPRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-3501-44** AND
STICK-ON INTERFACE TRANSFER PAD **970-3501-36** (PAGE 29).



TOUCH-UP SUPER TACK PAD 31 MM

ART NO.	BOX
910-3501-44	1

FOR TOUCH-UP SANDER (**910-3501**). USE IN COMBINATION WITH STICK-ON
INTERFACE TRANSFER PAD (**970-3501-36**) (PAGE 29).

sheet sander KO-8751 70 X 198 MM

ART NO.	BOX	CARTON
910-8751D	1	6

MAX. ROTATION: 8.000 RPM. AIRCONSUMPTION: 350 L/MIN. WEIGHT: 1,25 KG.
AIRPRESSURE: 4-6 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **875CDK-42**.



POLISHER KP-302 123 MM

ART NO.	BOX	CARTON
910-0302	1	6

MAX. ROTATION: 3.000 RPM. AIRCONSUMPTION: 450 L/MIN. WEIGHT: 1,20 KG.
AIRPRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **972-3021** (PAGE 45).



POLISHER KP-301 72 MM

ART NO.	BOX	CARTON
910-0301	1	10

MAX. ROTATION: 2.500 RPM. AIRCONSUMPTION: 350 L/MIN. WEIGHT: 0,70 KG.
AIRPRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **M00-4043** (PAGE 45) AND WOOL
COMPOUNDING PAD **M00-4047** (PAGE 37).



POLISHER 450 PL 72 MM

ART NO.	BOX	CARTON
M00-4000	1	10

MAX. ROTATION: 5.000 RPM. AIRCONSUMPTION: 350 L/MIN. WEIGHT: 0,90 KG.
AIRPRESSURE: 4-6 BAR. INCLUDING BACK-UP PAD **M00-4043** (PAGE 45), WOOL
COMPOUNDING PAD **M00-4047** AND FOAM PAD **M00-4045** (PAGE 37).



WARRANTY
1+2

REGISTER YOUR MACHINE FOR EXTRA WARRANTY

REGISTER YOUR MACHINE ONLINE WITHIN 30 DAYS AFTER PURCHASE AND
EXTEND YOUR STANDARD WARRANTY OF 1 YEAR WITH 2 EXTRA YEARS.
FOR REGISTRATION AND MORE INFORMATION VISIT WWW.KOVAX.EU/WARRANTY.

BACK-UP PADS & INTERFACE PADS

BACK-UP PAD - MEDIUM 150 MM - 15 HOLES

ART NO.	THREAD SIZE	BOX
M00-1070	5/16" + M8	1




BACK-UP PAD - HARD 150 MM - 15 HOLES

ART NO.	THREAD SIZE	BOX
972-0104	5/16"	1



BACK-UP PAD - MEDIUM 150 MM - 7 HOLES

ART NO.	THREAD SIZE	BOX
M00-1038	5/16"	1



BACK-UP PAD FOR POLISHER 150 MM


ART NO.	THREAD SIZE	BOX
858-0120	M14	1



BACK-UP CONVERSION PAD - MEDIUM 125 MM - 7 HOLES

ART NO.	THREAD SIZE	BOX
972-0003	5/16" conversion pad	1

CONVERTS A 152 MM SYSTEM IN A 125 MM SYSTEM.



BACK-UP PAD - MEDIUM 125 MM - 7 HOLES

ART NO.	THREAD SIZE	BOX
972-0015	5/16"	1



BACK-UP PAD FOR POLISHER 125 MM

ART NO.	THREAD SIZE	BOX
972-3021	5/16"	1



BACK-UP PAD FOR POLISHER 75 MM

ART NO.	THREAD SIZE	BOX
M00-4043	5/16"	1



BACK-UP PAD 75 MM

ART NO.	THREAD SIZE	BOX
M750-148	M6	1



ACCESSORIES

INTERFACE PAD - SOFT 150 MM - 15 HOLES

ART NO.		BOX
M00-4633		1



INTERFACE PAD - SOFT 125 MM - 7 HOLES

ART NO.		BOX
971-0044	MICRO VELCRO	2



INTERFACE PAD - SOFT 75 MM

ART NO.		BOX
971-7502		4

USE IN COMBINATION WITH BACK-UP PAD M750-148 (PAGE 45).



INTERFACE PAD - SOFT 75 MM

ART NO.		BOX
971-7503	MICRO VELCRO	4



SPY SPRAY 400 ML

ART NO.		BOX
852-5500	Black	1
852-5510	White	1

USE SPY SPRAY WHEN SANDING PUTTY AND PRIMER.



MICRO BRUSHES

ART NO.		BOX
886-1050		100



MIRCOFIBER CLOTH 400 X 400 MM

ART NO.		BOX
851-4161		1



HANDBLOCKS

ERGONOMIC HANDBLOCK 70 X 419 MM - 14 HOLES

ART NO.	BOX
887-0230	1



ERGONOMIC HANDBLOCK 115 X 225 MM - 10 HOLES

ART NO.	BOX
887-0240	1



ERGONOMIC HANDBLOCK 70 X 198 MM - 8 HOLES

ART NO.	BOX
887-0210	1



ERGONOMIC HANDBLOCK 70 X 125 MM - 8 HOLES

ART NO.	BOX
887-0220	1



ERGONOMIC HANDBLOCK WITH 4 ADAPTORS 70 X 198 MM - MULTIHOLE

ART NO.	SET
887-0250	1



HANDBLOCKS FOR DISCS 152 MM

ART NO.	BOX	
885-0220	PLANE	1
885-0223	ROUND	1



HANDBLOCK SET FOR DISCS 152 MM

ART NO.	SET
885-0224	1



SPECIFICATIONS

KOVAX QUALITY MEETS PRO-FESIONAL TOOLS

64 X 46 X 150 CM

EQUIPPED WITH A LOCK

PORTABLE BOXES
TO EASILY MOVE BETWEEN
WORKSPACES



PRO-MATE WORKSTATION



CREATE YOUR OWN PERFECT WORKSPACE.

THE PRO-MATE WORKSTATION CONTAINS
THE FOLLOWING ACCESSORIES:



LOW PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO
THE 75 MM HIGH DRAWERS AND IS ABLE TO
HOLD SIX 170 X 190 X 41 MM PACKAGES.

One included



HIGH PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE
154 MM HIGH DRAWERS AND IS ABLE TO HOLD
UP TO SIX 170 X 180 X 110 MM PACKAGES.

One included



BOTTLE HOLDER

STORE YOUR POLISH BOTTLES (IN THE TWO
Ø 90 MM HOLES) AND SPY SPRAY CAN (IN THE
Ø 75 MM HOLE).

One included



PEGBOARD HOOK

EASILY HANG UP YOUR DISCS & INTERFACE
PADS ON THIS 100 MM HOOK.
Eight included



MACHINE HOLDER

SUITABLE FOR ALL KOVAX MACHINES
(EXCEPT 31 MM).
Two included



PRO-MATE WORKSTATION

ART NO.	SET
920-0001	1

PRO-MATE ACCESSORIES

ART NO.	BOX	
920-0022	HIGH PORTABLE BOX	1
920-0021	LOW PORTABLE BOX	1
920-0023	BOTTLE HOLDER	1
920-0020	MACHINE HOLDER	1
920-0024	PEGBOARD HOOKS (SET OF 6)	1
920-0025	FOAM-X BOX	1

ALSO AVAILABLE BUT NOT INCLUDED IN THE STANDARD PRO-MATE

FOAM-X BOX

THIS BOX CAN EASILY BE FITTED TO BOTH
SIDES OF THE PRO-MATE. THE FOAM-X BOX IS
DESIGNED TO HOLD ONE FOAM-X ROLL.



WANT TO KNOW ALL
SPEC'S? SCAN AND
DOWNLOAD THE
PRO-MATE LEAFLET



SCAN AND WATCH
THE PRO-MATE IN
ACTION ON OUR
YOUTUBE CHANNEL.



THIS KIT CONTAINS THE FOLLOWING
INNOVATIVE PRODUCTS FOR THE
RENEWAL OF POLYCARBONATE
HEADLIGHTS



TOLECARD
KOVAX



SPATULA

INCLUDING MANUAL.



CLEAR COAT & CATALYST MIX RATIO 1:1.



MAXFILM
SUPER TACK DISCS
P180 | P240
P320 | P400



SUPER ASSILEX
SUPER TACK SHEETS
K600 - K1200
+ HAND PAD M



REGISTER

MAXCUT



GRIT	115 x 225 MM - 10H	70 x 419 MM - 14H	70 x 198 MM - 8H	70 x 127 MM - 8H
P60	516-0060	799-0060	547-0060	
P80	516-0080	799-0080	547-0080	546-0080
P120	516-0120	799-0120	547-0120	546-0120
P180	516-0180	799-0180	547-0180	546-0180
PAGE	18	18	18	18



GRIT	203 MM - 8H	152 MM - 15H	152 MM - 7H	152 MM	125 MM - 7H	125 MM
P60	583-0060	569-0060	563-0060	562-0060		552-0060
P80	583-0080	569-0080	563-0080	562-0080	553-0080	552-0080
P120	583-0120	569-0120	563-0120	562-0120	553-0120	552-0120
P180		569-0180	563-0180	562-0180		552-0180
PAGE	10	10	10	10	11	11

PREMIUM



GRIT	115 x 225 MM - 10H	70 x 419 MM - 14H	70 x 198 MM - 8H	70 x 127 MM - 8H
P80	716-0080	748-0080	747-0080	
P120	716-0120	748-0120	747-0120	
P180	716-0180	748-0180	747-0180	
P240	716-0240	748-0240	747-0240	746-0240
P320	716-0320	748-0320	747-0320	746-0320
P400	716-0400	748-0400	747-0400	
PAGE	19	19	19	19



GRIT	203 MM - 8H	152 MM - 15H	152 MM - 7H	152 MM	75 MM
P40		776-0040			
P60		568-0060	566-0060		730-0060
P80		568-0080	566-0080	565-0080	730-0080
P120		568-0120	566-0120	565-0120	730-0120
P150		568-0150	566-0150		730-0150
P180	786-0180	568-0180	566-0180	565-0180	730-0180
P220		568-0220	566-0220	565-0220	730-0220
P240	786-0240	568-0240	566-0240	565-0240	730-0240
P280		568-0280	566-0280		730-0280
P320	786-0320	568-0320	566-0320	565-0320	730-0320
P360		568-0360	566-0360		
P400		568-0400	566-0400	565-0400	730-0400
P500		568-0500	566-0500	565-0500	730-0500
P600		568-0600	566-0600	565-0600	730-0600
PAGE	14	14	14	15	15



TRI-PRO



GRIT	152 MM - 15H	152 MM	125 MM - 8H	125 MM
P40	527-0040			
P60	527-0060	525-0060	557-0060	514-0060
P80	527-0080	525-0080	557-0080	514-0080
P100	527-0100	525-0100	557-0100	514-0100
P120	527-0120	525-0120	557-0120	514-0120
P150	527-0150	525-0150	557-0150	514-0150
P180	527-0180	525-0180	557-0180	514-0180
P220	527-0220	525-0220	557-0220	514-0220
P240	527-0240	525-0240	557-0240	514-0240
P280	527-0280	525-0280	557-0280	514-0280
P320	527-0320	525-0320	557-0320	514-0320
P360	527-0360	525-0360	557-0360	514-0360
P400	527-0400	525-0400	557-0400	514-0400
P500	527-0500	525-0500	557-0500	514-0500
P600	527-0600	525-0600	557-0600	514-0600
PAGE	12	12	13	13

MAXFILM



GRIT	152 MM - 15H	152 MM - 7H	125 MM - 7H
P80	523-0080		
P120	523-0120	521-0120	513-0120
P150	523-0150	521-0150	513-0150
P180	523-0180	521-0180	513-0180
P220	523-0220	521-0220	513-0220
P240	523-0240	521-0240	513-0240
P280	523-0280	521-0280	
P320	523-0320	521-0320	513-0320
P360	523-0360	521-0360	
P400	523-0400	521-0400	513-0400
P500	523-0500	521-0500	513-0500
P600	523-0600	521-0600	513-0600
PAGE	16	16	16

MAGIC DISC



GRIT	152 MM - 15H
320	528-0320
PAGE	17

YELLOW FILM



GRIT	152 MM - 15H	152 MM - 7H	152 MM	125 MM - 7H	75 MM	35 MM STICK-ON
P800	524-0800	779-0800	778-0800	555-0800	730-0800	
P1000	524-1000	779-1000	778-1000	555-1000		
P1200	524-1200	779-1200	778-1200	555-1200		
P1500	524-1500	779-1500	778-1500	555-1500	730-1500	881-1500
P2000	524-2000				730-2000	881-2000
PAGE	17 / 28	17 / 28	17 / 28	17 / 28	29	29

SUPER ASSILEX



GRIT	152 MM - 15H	152 MM - 7H	125 MM - 7H	75 MM	130 x 170 MM
K240	193-2537				191-2517
K320	193-2535				191-2515
K360	193-1575				191-1515
K400	193-2533				191-2513
K600 Sky	193-1578	193-1538	195-1538	730-2510	191-1508
K800 Lemon	193-1579	193-1539	195-1539	730-2508	191-1509
K1200 Orange	193-1580	193-1540	195-1540	730-2507	191-1510
K1500 Peach	193-2525				191-2505
PAGE	24		24	24	26

ASSILEX



GRIT	85 x 130 MM STICK-ON
K800 Lemon	191-1505
K1500 Peach	191-1504
PAGE	35

TOLEX



GRIT	152 MM - 15H	125 MM - 7H	75 MM	130 x 170 MM	152 MM STICK-ON	70 x 114 MM STICK-ON
K1500	193-1563	195-1593	730-1502	191-1533	192-1503	191-1503
PAGE	30	30	30	30	31	31

TOLECUT



GRIT	34 MM STICK-ON	70 x 114 MM STICK-ON	29 x 35 MM STICK-ON
K800		191-1517	191-1527
K1200		191-1516	191-1526
K1500	192-1513	191-1513	191-1523
K2000	192-1512	191-1512	191-1522
K3000	192-1511	191-1511	191-1521
PAGE	27	27	27

BUFLEX DRY



GRIT	152 MM - 15H	125 MM - 7H	75 MM	130 x 170 MM
K2000	193-1565	195-1535	730-1513	191-1532
K3000	193-1564	195-1534	730-1514	191-1531
PAGE	32	32	33	33

BUFLEX WET



GRIT	152 MM STICK-ON	70 x 114 MM STICK-ON
K2000	192-1502	191-1502
K3000	192-1501	191-1501
PAGE	34	34

HIGHFLEX SOFTPADS



GRIT	115 x 140 x 6 MM	115 x 140 x 6 MM
Medium	HFX-MEDIUM	HFX-MEDIUM-20
Fine	HFX-FINE	HFX-FINE-20
Super Fine	HFX-SUPERFINE	HFX-SUPERFINE-20
Ultra Fine	HFX-ULTRAFINE	HFX-ULTRAFINE-20
Micro Fine	HFX-MICROFINE	HFX-MICROFINE-20
PAGE	21	21

FOAM-X ROLL



GRIT	115 MM x 25 M
P180	KFX-0180
P240	KFX-0240
P320	KFX-0320
P400	KFX-0400
P500	KFX-0500
P600	KFX-0600
P800	KFX-0800
PAGE	20

WATERPROOF



GRIT	SILICON CARBIDE 230 x 280 MM	ALUMINIUM OXIDE 230 x 280 MM
P60	101-0060	
P80	101-0080	
P100	101-0100	
P120	101-0120	
P150	102-0150	
P180	102-0180	105-0180
P220	102-0220	105-0220
P240	102-0240	105-0240
P280	102-0280	105-0280
P320	102-0320	105-0320
P360	102-0360	
P400	102-0400	105-0400
P500	102-0500	105-0500
P600	102-0600	105-0600
P800	102-0800	105-0800
P1000	102-1000	105-1000
P1200	102-1200	105-1200
P1500	102-1500	
P2000	102-2000	
PAGE	22	23

SCUFF-X



GRIT	RED 115 x 230 MM	GREY 115 x 230 MM	RED 115 MM x 10 M	GREY 115 MM x 10 M
Very Fine	900-7946		900-7945	
Ultra Fine		900-7948		900-7947
PAGE	20	20	20	20

ROLLS AND SHEETS



GRIT	115 MM x 25 M TRI-PRO SUPER TACK ROLL	115 x 280 MM SHEETS WITHOUT ADHESION
P40	872-0040	220-0040
P60	872-0060	221-0060
P80	872-0080	221-0080
P100		221-0100
P120	872-0120	221-0120
P150	872-0150	224-0150
P180	872-0180	224-0180
P220		224-0220
P240	872-0240	224-0240
P280		224-0280
P320	872-0320	224-0320
P360		224-0360
P400	872-0400	224-0400
PAGE	22	21

HANDBLOCKS



	SUPER ASSILEX HANDBLOCKS	ERGONOMIC HANDBLOCKS	CANDYBLOCK	HANDBLOCKS FOR 152 MM DISCS
	120 x 160 MM 885-2140	115 x 225 MM 887-0240	140 x 70 MM 45 x 70 MM 971-0001	PLANE 885-0220
	72 x 125 MM 885-2190	70 x 419 MM 887-0230		ROUND 885-0223
		70 x 198 MM 887-0210		SET 885-0224
		70 x 125 MM 887-220		
		70 x 198 MM WITH 4 ADAPTERS 887-0250		
PAGE	26	48	23	49

POLISH COMPOUNDS & MATTINGPASTE

BACK-UP PADS



150 MM - 15H	150 MM - 7H	150 MM	125 MM - 8H	125 MM	125 MM - 7H	75 MM
885-0159 (P. 39)	M00-1038 (P. 44)	858-0120 (P. 44)	885-0169 (P. 13)	972-3021 (P. 45)	972-0003 (P. 45)	M00-4043 (P. 45)
885-0163 (P. 25)				972-0015 (P. 45)		M750-148 (P. 45)
889-5467 (P. 39)						
972-0104 (P. 44)						
M00-1070 (P. 44)						

INTERFACE PADS



150 MM - 15H	150 MM - 7H	150 MM STICK-ON	125 MM - 8H	125 MM - 7H	75 MM	31 MM
M00-4633 (P. 46)	971-0049 (P. 25)	971-0017 (P. 31)	885-0712 (P. 13)	971-0044 (P. 46)	971-0068 (P. 33)	910-3501-36 (P. 29)
971-0027 (P. 30)	971-0039 (P. 25)	971-0014 (P. 31 / 34)		971-0067 (P. 32)	971-7502 (P. 46)	
971-0057 (P. 25)					971-7503 (P. 46)	
971-0065 (P. 32)						
971-0091 (P. 25)						



120 x 160 MM SUPER ASSILEX	78 x 123 MM BUFLEX DRY	75 x 120 MM SUPER ASSILEX	72 x 125 MM SUPER ASSILEX
885-2191 (P. 26)	971-0061 (P. 33)	971-0035 (P. 26)	885-2197 (P. 26)

HAND PADS



97 x 150 MM SUPER ASSILEX	83 x 130 MM ASSILEX STICK-ON	78 x 123 MM BUFLEX DRY	75 x 120 MM SUPER ASSILEX	70 x 110 MM BUFLEX WET STICK-ON	66 x 110 MM TOLECUT STICK-ON	62 x 111 MM TOLEX STICK-ON	26 x 32 MM TOLECUT STICK-ON	31 MM DOUBLE FINGER PAD
971-0026 (P. 26)	971-0020 (P. 35)	971-0060 (P. 33)	971-0025 (P. 26)	971-0012 (P. 34)	858-1550 (P. 27)	971-0016 (P. 31)	971-0047 (P. 27)	971-0023 (P. 29)
	971-0021 (P. 35)		971-0094 (P. 26)	971-0013 (P. 34)	971-0048 (P. 27)			
	971-0022 (P. 35)							

POLISH PADS



190 MM	150 MM	100 MM	80 MM
858-6751 (hard) ●	858-6798 ●	858-6752 (hard) ●	858-6797 ●
858-6754 (soft) ●		858-6755 (soft) ●	M00-4045 (soft) ●
			M00-4047 (hard) ●
	P. 37	P. 37	P. 37

TOOLS



150 MM	125 MM	72 MM	31 MM	70 x 198 MM	70 x 115 MM
910-0500 (P. 39) 910-0600 (P. 39)	910-0104D (P. 42)	910-7501 (P. 42)	910-3501 (P. 42)	910-8751D (P. 42)	910-0202 (P. 43)



PROMA-X DUST EXTRACTOR	PRO-MATE WORKSTATION
910-0810 (P. 40) 910-0820 (P. 40)	920-0001 (P. 50)


POLISHERS



150 MM	123 MM - KP-302	72 MM - 450 PL	72 MM - KP-301	BLACK	WHITE
910-0700 (P. 39)	910-0302 (P. 43)	M00-4000 (P. 43)	910-0301 (P. 43)	852-5500 (P. 47)	852-5510 (P. 47)

SPY SPRAY





SCAN THE QR CODE AND
DOWNLOAD THE KOVAX APP
AVAILABLE FOR ANDROID AND IOS

KOVAX EUROPE B.V.
BEDRIJVENPARK TWENTE 49
7602 KC ALMELO
THE NETHERLANDS

INFO@KOVAX.EU
WWW.KOVAX.EU
TEL: 0031 (0)53 - 434 31 31
FAX: 0031 (0)53 - 430 49 00

FOLLOW US

